



TEST REPORT

No. : GZMR110305860

Date : Apr 12.2011

Page: 1 of 5

YUHE GLASS TRADE CO., LTD DONGGUAN CITY
NO.109, HONGTU ROAD, SCI, & TECH, PARK, NANCHENG ZONE, DONGGUAN CITY, GUANGDONG
PROVINCE, P.R.C


The following sample(s) was/ were submitted and identified on behalf of the client as:

Sample Name : TRANSPARENT GLASS
SGS Ref No : GP110320092-22.21, GZ1103030439/CHEM
Test Performed : Selected test(s) as requested by applicant
Date of Receipt : Mar 18,2011
Test Period : Mar 18,2011 to Mar 31,2011

Test result(s) : Please refer to the following page(s)

*****To be continue*****

Signed for and on behalf of
SGS-CSTC Ltd.


May Huo
Engineer

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



TEST REPORT

No. : GZMR110305860

Date : Apr 12.2011

Page: 2 of 5

Test result:

Description for specimen: Transparent glass

Test Requested :

As requested by client, SVHC screening is performed according to: Forty six (46) substances in the Candidate List of Substances of Very High Concern (SVHC) for authorization published by European Chemicals Agency (ECHA) on and before Dec 15, 2010 regarding Regulation (EC) No 1907/2006 concerning the REACH.

Summary :

According to the specified scope and analytical techniques, concentrations of tested SVHC are $\leq 0.1\%$ (w/w) in the submitted sample.

PASS

Remark :

- (1) The chemical analysis of specified SVHC is performed by means of currently available analytical techniques against the following SVHC related documents published by ECHA: http://echa.europa.eu/chem_data/authorisation_process/candidate_list_table_en.asp
These lists are under evaluation by ECHA and may subject to change in the future.
- (2) In accordance with Regulation (EC) No 1907/2006, any EU producer or importer of articles shall notify ECHA, in accordance with paragraph 4 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1) of the Regulation, if (a) the substance in the Candidate List is present in those articles in quantities totaling over one tonne per producer or importer per year; and (b) the substance in the Candidate List is present in those articles above a concentration of 0.1% weight by weight (w/w).
- (3) Article 33 of Regulation (EC) No 1907/2006 requires supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance in the Candidate List.
- (4) If a SVHC is found over the reporting limit, client is suggested to identify the component which contains the SVHC and the exact concentration of the SVHC by requesting further quantitative analysis from the laboratory.

Test Method :

SGS In-House method-GZTC CHEM-TOP-092-01, GZTC CHEM-TOP-092-02, Analyzed by ICP-OES, GC-MS and UV-VIS.

*****To be continue*****

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, jurisdiction and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CTC Standards Technical Services Co., Ltd.
Guangzhou Branch - Business & Reliability Laboratory

198 Kezhu Road, Science Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663
中国·广州·经济技术开发区科学城科珠路198号

t (86-20) 82155555 f (86-20) 82075188 www.cn.sgs.com
t (86-20) 82155555 f (86-20) 82075188 e sgs.china@sgs.com

GZMR 0094599

TEST REPORT

No. : GZMR110305860

Date : Apr 12.2011

Page: 3 of 5

Test Result: (Substances in the Candidate List of SVHC)

Substance Name	CAS No.	EC No.	Concentration(%)	RL(%)
			001	
2,4-Dinitrotoluene	121-14-2	204-450-0	N.D.	0.050
2-Ethoxyethanol	110-80-5	203-804-1	N.D.	0.050
2-Methoxyethanol	109-86-4	203-713-7	N.D.	0.050
4,4'-Diaminodiphenylmethane(MDA)	101-77-9	202-974-4	N.D.	0.050
5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene)	81-15-2	201-329-4	N.D.	0.050
Acrylamide	79-06-01	201-173-7	N.D.	0.050
Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins)	85535-84-8	287-476-5	N.D.	0.050
Aluminosilicate Refractory Ceramic Fibres*	650-017-00-8 (Index no.)	-	N.D.	0.005
Ammonium dichromate*	7789-09-5	232-143-1	N.D.	0.005
Anthracene	120-12-7	204-371-1	N.D.	0.050
Anthracene oil*	90640-80-5	292-602-7	N.D.	0.050
Anthracene oil, anthracene paste*	90640-81-6	292-603-2	N.D.	0.050
Anthracene oil, anthracene paste, anthracene fraction*	91995-15-2	295-275-9	N.D.	0.050
Anthracene oil, anthracene paste, distn. Lights*	91995-17-4	295-278-5	N.D.	0.050
Anthracene oil, anthracene-low*	90640-82-7	292-604-8	N.D.	0.050
Benzyl butyl phthalate (BBP)	85-68-7	201-622-7	N.D.	0.050
Bis(2-ethylhexyl)phthalate (DEHP)	117-81-7	204-211-0	N.D.	0.050
Bis(tributyltin)oxide (TBTO)	56-35-9	200-268-0	N.D.	0.050
Boric acid*	10043-35-3 11113-50-1	233-139-2 234-343-4	N.D.	0.005
Chromic acid, Oligomers of chromic acid and dichromic acid, Dichromic acid*	7738-94-5 13530-68-2	231-801-5 236-881-5	N.D.	0.005
Chromium trioxide*	1333-82-0	215-607-8	N.D.	0.005

*****To be continue*****

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



TEST REPORT

No. : GZMR110305860

Date : Apr 12.2011

Page: 4 of 5

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: CN.Doecheck@sgs.com

Substance Name	CAS No.	EC No.	Concentration(%)	RL(%)
			001	
Cobalt dichloride*	7646-79-9	231-589-4	N.D.	0.005
Cobalt(II) carbonate*	513-79-1	208-169-4	N.D.	0.005
Cobalt(II) diacetate*	71-48-7	200-755-8	N.D.	0.005
Cobalt(II) dinitrate*	10141-05-6	233-402-1	N.D.	0.005
Cobalt(II) sulphate*	10124-43-3	233-334-2	N.D.	0.005
Diarsenic pentaoxide*	1303-28-2	215-116-9	N.D.	0.005
Diarsenic trioxide*	1327-53-3	215-481-4	N.D.	0.005
Dibutyl phthalate (DBP)	84-74-2	201-557-4	N.D.	0.050
Diisobutyl phthalate	84-69-5	201-553-2	N.D.	0.050
Disodium tetraborate, anhydrous*	1303-96-4 1330-43-4 12179-04-3	215-540-4	N.D.	0.005
Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α -HBCDD, β -HBCDD, γ -HBCDD) Δ	25637-99-4 and 3194-55-6	247-148-4 and 221-695-9	N.D.	0.050
Lead chromate*	7758-97-6	231-846-0	N.D.	0.005
Lead chromate molybdate sulphate red (C.I. Pigment Red 104)*	12656-85-8	235-759-9	N.D.	0.005
Lead hydrogen arsenate*	7784-40-9	232-064-2	N.D.	0.005
Lead sulfochromate yellow (C.I. Pigment Yellow 34)*	1344-37-2	215-693-7	N.D.	0.005
Pitch, coal tar, high temp.*	65996-93-2	266-028-2	N.D.	0.050
Potassium chromate*	7789-00-6	232-140-5	N.D.	0.005
Potassium dichromate*	7778-50-9	231-906-6	N.D.	0.005
Sodium chromate*	7775-11-3	231-889-5	N.D.	0.005
Sodium dichromate*	7789-12-0 and 10588-01-9	234-190-3	N.D.	0.005
Tetraboron disodium heptaoxide, hydrate*	12267-73-1	235-541-3	N.D.	0.005
Trichloroethylene	79-01-6	201-167-4	N.D.	0.050
Triethyl arsenate*	15606-95-8	427-700-2	N.D.	0.005
Tris(2-chloroethyl)phosphate	115-96-8	204-118-5	N.D.	0.050
Zirconia Aluminosilicate Refractory Ceramic Fibres*	650-017-00-8 (Index no.)	-	N.D.	0.005

*****To be continue*****

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, jurisdiction and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its investigation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



198 Kazhu Road, Sciencetech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t(86-20) 82155555 f(86-20) 82075188 www.cn.sgs.com
 中国·广州·经济技术开发区科学城科珠路198号 邮编:510663 t(86-20) 82155555 f(86-20) 82075188 e sgs.china@sgs.com

GZMR 0094601

TEST REPORT

No. : GZMR110305860

Date : Apr 12.2011

Page: 5 of 5


Notes:

- (1). RL = Reporting Limit. All RL are based on homogenous material.
N.D. = Not detected (lower than RL), N.D. is denoted on the target compound.
- (2). Δ CAS No. of diastereoisomers identified (α -HBCDD, β -HBCDD, γ -HBCDD): 134237-50-6, 134237-51-7, 134237-52-8.
- (3). * The test result is based on the calculation of selected element(s) / marker(s) and to the worst-case scenario. For detail information, please refer to the SGS REACH website:
www.reach.sgs.com/substance-of-very-high-concern-analysis-information-page.htm

Calculated concentration of boric acid, disodium tetraborate, anhydrous and tetraboron disodium heptaoxide, hydrate are based on the water extractive boron and sodium by ICP-OES.

RL = 0.005% is evaluated for element (i.e. cobalt, arsenic, lead, sodium, chromium, chromium (VI), silicon, aluminum, zirconium, boron and potassium respectively), except molybdenum RL=0.0005%

Sample Photo:



*****End of report*****

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, jurisdiction and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.